

INDEX MAPS.

T.9N R.1W 2nd Mer.

257		258		258		258		259		259	
262		6	284	5	282	4	284	3	281	2	284
283		282		280		281		270		270	
261		7	283	8	282	9	280	10	269	11	270
283		279		278		268		268		269	
261		18	279	17	278	16	267	15	268	14	267
279		280		277		278		266		265	
261		19	277	20	276	21	266	22	266	23	265
277		275		275-276		264		263		264	
260		30	275	29	276	28	273	27	264	26	263
274		274		273		272		271		262	
260		31	274	32	273	33	272	34	271	35	262
254		254		254		253		253		253	

T.10N R.1W 2nd Mer.

293		293-294		293-294		292-294		292-295		292-295	
297		6	306	5	309	4	313	3	318	2	325
305		308		312		317		324		325	
297		7	305	8	308	9	312	10	317	11	324
304		307		311		316		323		323	
296		18	304	17	307	16	311	15	316	14	322
300		304		306		310		316		322	
296		19	303	20	306	21	310	22	315	23	321
299		300		299		300		315		320	
296		30	299	29	302	28	309	27	314	26	320
298		298		302		301		314		319	
295		31	298	32	302	33	301	34	313	35	318
287		287		287		288		288-289		289	

The figures on the lines refer to the page.

Township No 10 North Range No 1 West 2nd Mer.
Ch. 6th.

South Boundary.

April 5th 1811. from the cor. of T. 9 & 10.
N. R. 3 & 2 W.

East On the South Boundary of sec. 31. T. No 10 N.
R. No 1 W.

23.00 To a Brook 10 links wide; Course N.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which an
Ash 30 in. dia. bears North 15 links dist; & a
Buck 14 " " " S 78 E. 27 " "

60.50 To a Brook 8 links wide; Course S. E.

80.00 Set a post for the cor. to sec. 31. & 32. T. No 10
N. R. No 1 W. from which a

Sugar 14 in. dia bears S 28 E. 5 links dist; & a
Buck 13 " " " N 17 E. 28 " "
Rich hilly lands; Timber Buck, Ash, Buckeye &c,

East On the South Boundary of sec. 32. T. No 9 N. R.
No 1 W.

1.50 To a Brook 150 links wide; Course N. W.

5.00 " " " 150 " " " S. E.

11.00 " " " 150 " " " N. W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 18 in. dia bears S 61 W. 16 links dist; & a

Do 11 " " " N 57 E. 30 " "

80.00 Set a post for the cor. to sec. 32 & 33. T. No 10
N. R. No 1 W. from which a

White 14 in. dia? bears S 65 E. 27 links dist; &
Buck 5 " " " N 21 E. 23 " "
Lands 1st $\frac{1}{4}$ mile flat bottom covered with
mud; Timber maple, Elm, &c. 2nd $\frac{1}{4}$ from
Hilly Oak lands; &c.

East On the South Boundary of sec. 33. T. No 10 N.
R. No 1 W.

10.00 To a Brook 6 links wide; Course S. E.

17.00 " " " 10 " " " S. W.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

T. N^o 10. N.R. N^o 1 W. 2nd Mer. Sold.

Ash 20 in. dia. beam S 81 W. 16 links dist; to
Buck 10 " " " N 55 E. 15 " "
Sands flat bottom; Timber Elm.

80.00 Set a post for the cor. to sec. 33. 134 T. N^o
10. N.R. N^o 1 W. from which an
Ash 12 in. dia. beam N 77 E. 5 links dist; to
Buck 18 " " " S 48 W. 19 " "
Sands first 1/2 mile Hilley Oak lands; 2nd
1/2 flat Elm bottom lands.

East On the South Boundary of Sec. 34. T. N^o 40
N.R. N^o 1 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Lum 30 in. dia. beam N 40 E. 9 links dist; to
Buck 10 " " " S 49 W. 9 " "
Wet Buck lands;

57.00 To a Brook 150 links wide; beam S. W.

65.00 " " " 150 " " " N. W.

80.00 Set a post for the cor. to sec. 34. & 35. T. N^o
10 N.R. N^o 1 W. from which a
Buck 12 in. dia. beam N 50 W. 34 links dist;
do 24 " " " S 50 E. 28 " "
Sands flat bottom; Timber Buck, Elm, &
Maple.

East On the South Boundary of sec. 35. T. N^o 10.
N.R. N^o 1 W.

8.50 To a Brook 40 links wide; beam S.

32.50 " " " 150 " " " S. W.

38.50 " " " 8 " " " N. W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Lum 16 in. dia. beam S 46 W. 6 links dist; to
Buck 5 " " " N. 38 E. 19 " "
Poor wet Buck Bottom lands. &c

59.00 Set a post on the N. Boundary line of Har-
rison's Purchase at the cor. of sec. 2 & 35

T. N^o 10. N. R. N^o 17. 2nd Mer. Ind^a.

T^s 10. & 9. From which a
 Hick^y 4 in. dia. bore N 33 E. 14 miles dist;
 Logwood 4 in. " " S 20 W. 20 " "
 Surveyed by Alex^r Holmes.

Var. 6° 30' The remainder of this Town line
 was surveyed by W. Harris. L.S.

West On the South Boundary of Sec. 36. T. N^o 10 N.
 R. N^o 17. On a Random line
 40.00 Set a temp^y post for the cor. to 1/4 sec.
 80.00 Set a " " " " " " Sec. 35 & 36.
 T. N^o 10 N. R. N^o 17.

West On the S. Boundary of Sec. 35. T. N^o 10 N. R. N^o
 17. On a Random line.
 11.00 Full 380 links South of the post set on the
 N. Boundary of Harris' old Purchase cor of Sec
 2 & 35 T^s 9. & 10. N. R. N^o 17.

East On the true line South side of Sec. 35 from the
 post set by A. Holmes on the N. Boundary of
 Harris' old Purchase cor to Sec. 2 & 35. T. N^o
 9. & 10 N. R. N^o 17.
 11.00 Set a post for the cor. to Sec. 35 & 36. T. N^o 10
 N. R. N^o 17. From which a
 Ballast 18 in. dia. bore N 38 E. 15 miles dist;
 Hick^y 9 in. " " " " S 45 W. 9 " "

East On the S. Boundary of Sec. 36. T. N^o 10. N.
 R. N^o 17. True line
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Salaspas 9 in dia bore S 63 E. 20 miles dist;
 & a Hick^y 12 in. " " " " S 80 W. 6 " "
 80.00 To the post set for the cor. to Sec. 1 & 36.
 T^s N^o 9 & 10 N. R. N^o 1 E. & 17.

T. N^o 10. N.R. N^o 17. 2nd Mer.

East Boundary

- North On the 2nd Mer. on the East Boundary of Sec. 36 T. N^o 10 N.R. N^o 17. Var. 6° 30'
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sycamore 30 in. dia. bore South 40° 30' west;
Height 7 ft. n. n. S 48° W 42 ft. n. n.
- 41.00 To a Brook 20 links wide; Course W.
- 67.00 Entered a swamp.
- 80.00 Set a post for the cor. to Sec. 25 & 36. T. N^o 10
N.R. N^o 17. From which a
Maple 8 in. dia. bore S 44° W. 10 links north; to
Do 12 ft. n. n. N 12° W. 5 ft. n. n.
Sands quite broken & just swamp. 2nd rate
soil;

May 20th 1819.

- North On the 2nd Mer. on the East Boundary of Sec. 25
T. N^o 10 N. R. N^o 17.
- 5.00 Passed the Swamp.
- 39.00 To a Brook 100 links wide; Course W.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Sycamore 18 in. dia. bore N 19° W. 32 links north;
- 80.00 Set a post for the cor. to Sec. 24 & 25 T. N^o 10
N.R. N^o 17. From which a
Sugar 12 in. dia. bore S 43° W. 32 links north;
Height 6 ft. n. n. N 23° E. 16 ft. n. n.
Sands mostly hard sands not, rather swampy

- North On the 2nd Mer. on the East Boundary of Sec.
24 T. N^o 10 N.R. N^o 17.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Pine 8 in. dia. bore S 56° E 16 links north; to
Puckey 12 ft. n. n. S 63° W 3 ft. n. n.
- 45.00 To a Brook 10 links wide; Course E.
- 52.50 n. n. n. 10 n. n. n. S. E.
- 60.00 n. n. n. 10 n. n. n. S. W.

T. N^o 10. N.R. N^o 17. 2nd Mer. (Ind. ^c)

80.00 Set apart for the cor. to Sec. 13 & 24. T. N^o 10. N.R. N^o 17. from which a
 T.B. Ash, 12 in. dia. bears S51 W. 12 links dist;
 Buck 12 " " " S63 E. 6 " "
 Lande part well & part rather broken.
 Timber Generally Buck, some Sugar, Poplar,
 Ash & Walnut.

North On the 2nd Mer. on the East side of Sec. 13.
 T. N^o 10 N.R. N^o 17. from which

24.00 To a Brook 5 in. dia bears S.E.

40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 14 in. dia. bears S38 E. 18 links dist;
 Do 9 " " " N79 W. 14 " "

80.00 Set apart for the cor. to Sec. 12 & 13. T. N^o 10
 N.R. N^o 17. from which a
 Buck 12 in. dia. bears S35 W. 15 links dist; to
 Ash 30 " " " N83 E. 9 " "
 The South $\frac{3}{4}$ of this mile rather broken; good
 2nd rate land; Timber some; The N $\frac{1}{4}$ is
 land; middling good farming land;

North Between Sec. 7 & 12 On the 2nd Mer. T. N^o 10 N.
 R. N^o 1 E & 1 W.

40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 12 in. dia bears S80 E. 14 links dist; to
 Do 24 " " " S71 W. 21 " "

45.00 To a Brook 8 links wide; Course S.W.

80.00 Set apart for the cor. to Sec. 1 & 12 T. N^o 10 N.
 R. N^o 1 W. from which a
 Buck 18 in. dia bears S4 E. 59 links dist; to
 Sugar 14 " " " N19 E. 17 " "
 Lande rather broken good soil; Timber Buck
 Sugar. Ash, Poplar, Oak; middling good
 farming land;

L. N.º 10. A.R. N.º 197. 2.º de Mar. (Jard.º)

North On the 2nd & 3rd Mrs. on the East side of sec 1 T.
N^o 10. N. R. N^o 17.

38.00 To a Brook 6 miles wide, lower N.W.

40.00 Set a post for the cor. to 14 sec. from which
a Hackberry 18 in. dia. bears N 54 E. 34. The dist
Wabunt 6 a a a S 15 E. 40 a a

45.00 To a Brook 30 miles wide; leave N.

8000 Let a post for the cor. to Sec. 1. 6. 31. + 36
T^s 10. + 11 N R^s 1 E + 1 W. from which a
Buck 9 in. dia. bears S 25 N. 10 miles dist;
Lo 12 n " " N 3 E. 31 " "
Lands S. 1/2 very broken & hilly; N. 1/2
muddling good farming lands; Timber
Same.

North Boundary

West On the S. Boundary of sec. 36. T. N^o 11 N.R.
N^o 17. On a Mountain side

40.00 Set a temp. y post for the cor. to $\frac{1}{4}$ sec.

4000 To a Brook 30 miles wide; hence N.W.

47.00 u. a Spring - u. a. u. a. M.M.

80.00 Set a temporary post for the cor. to sub. 35136
T. N. 11 N. R. N. 1 W. Lands of Broken
& Heilby Timber same

West On the S. Boundary of lot 35 T. N^o 16 N.
R. N^o 1 W. One Hundred acres.

40.00 Set a turnp. post for the cor. to $\frac{1}{4}$ sec.

80.00 Set a n n a n n e s s. 340
35 J. N^o 11. N.R. N^o 17. Lando broken
Widby Timber Oak, Beech, Poplar. &
very bushy.

West On the E. 9 Bound. of Sec. 34 T. 11 N. R.
N. 1 W. On a Hudson riv.

4000 Set a temp. post for the cor. to go on.

293

T. No 10 N.R. No 177. 2nd Mer. (Ind.)

- 79.50 To a Brook 30 th mile; leave N.W.
 80.00 Set a temporary post for the cor. to sec. 33 & 34.
 T. No 11. N.R. No 177. Sand soil; Timber
 Oak, Buck, Ash, 2nd onto lands; muddling
 good farming lands;

Friday May 21st 1819.

- West On the S. Boundary of sec. 33 T. No 10 N.R. No
 177. On a Random line.
 41.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 80.00 Set a temporary post for the cor. to sec. 32, 133
 T. No 11 N.R. No 177.
 Lands very broken & Hilby good soil; Timber
 same.

- West On the S. Boundary of sec. 32 T. No 11 N.R. No
 177. 2nd Mer. On a Random.
 38.00 To a Brook 5 th mile; leave S.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 38.00 To a Brook 8 th mile; leave S.
 80.00 Set a temporary post for the cor. to sec. 31 & 32.
 T. No 11 N.R. No 177.
 Lands rolling rich and good for farming;
 Timber same as in the last mile.

- West On the S. Boundary of sec. 31 T. No 11 N.
 R. No 177. 2nd Mer. On a Random line
 22.80 To a Brook 12 th mile; leave S.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 67.50 Intersected the Range line

- East On the S. Boundary of sec. 31 T. No 11 N.
 R. No 177. On the true line
 27.50 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 N Oak 12 m. lies bears S 74 W. 22 miles dist;
 do 30 " " N 57 E. 27 " "

T. No 10. N.R. No 1 W. 2nd Mer. (Ind.)

- 37.80 To a Brook 8 miles wide; leave E.W.
 67.50 Set a post for the cor. to sec. 31 & 32 T. No 11
 N.R. No 1 W. from which a
 W. Oak 30 in. dia. leave N 48 E. 5 miles dist; to
 Poplar 12 " " " N 53 W 25 " "

East On the E. Boundary of sec. 32. T. No 11 N.
 R. No 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 24 in. dia. leave S 13 E. 43 miles dist; to
 Do 30 " " " N 76 W. 32 " "
 80.00 Set a post for the cor. to sec. 32 & 33. T. No 11
 N.R. No 1 W. from which a
 Hickory 18 in. dia. leave N 70 E. 36 miles dist; to
 W. Oak 27 " " " N 77 W 33 " "

East On the E. Boundary of sec. 33. T. No 11 N.
 R. No 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 12 in. dia. leave N 71 E. 9 miles dist; to
 Hickory 18 " " " S 15 E 18 " "
 80.00 Set a post for the cor. to sec. 33. & 34 T. No
 11. N.R. No 1 W. from which a
 Hackberry 11 in. dia. leave S 71 E. 16 miles dist; to
 Do 27 " " " S 60 W 33 " "

East On the E. Boundary of sec. 34. T. No 11 N.
 R. No 1 W. On the true line.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Log mode 9 in. dia. leave N 40 W. 5 miles dist;
 to a W. Oak 30 " " " S 64 E 27 " "
 80.00 Set a post for the cor. to sec. 34 & 35 T. No 11
 N.R. No 1 W. from which a
 Buck 18 in. dia. leave West 39 miles dist; to
 W. Oak 18 " " " N 62 E. 36 " "

T. N^o 10 N.R. N^o 17. 2nd Sec. Mer. (Ind^y)

East On the E. Boundary of Sec. 35 T. N^o 11 N.R.
N^o 17. On the true line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hackberry 8 in. dia. bears S 11 W. 31 links dist; to
Hickory 11 " " " N 16 W. " " "

80.00 Set a post for the cor. to Sec. 35 & 36. T. N^o 11
N.R. N^o 17. from which a
Hickory 9 in. dia. bears N. 59 E. 13 links dist; to
Sum 24 " " " S 35 W. 27 " "

East On the E. Boundary of Sec. 36. T. N^o 11. N.R.
N^o 17. On the true line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Hackberry 18 in. dia. bears S 57 W. 15 links dist;
Walnut 24 " " " N 64 E. 30 " "

80.00 To the cor. of Sec. 1. 6. 31. 36 T^h N^o 10. & 11. N.
R^s 1 & 2 W.

West Boundary

From the cor. of Sec. 1. 6. 31. 36. T^h 9. & 10. N.
R^s 1 & 2 W. thence

North On the East Boundary of Sec. 36 T. N^o 10 N.
R. N^o 2 W. On the true line.

15.50 To a Brook 20 links from N.E.

32.00 To a Hickory 16 in dia. stands in the line.

39.00 " " Brook 10 links wide; Runs E.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which an
Ash 13 in. dia. bears S 60 W. 22 links dist; to
Buck 15 " " " N 7 W. 23 " "
Land hilly and rich; Timber Buck, Ash,
Walnut &c

73.50 To a Brook 12 links wide; Course E.

80.00 Set a post for the cor. to Sec. 25. 136. T. N^o
10. N.R. N^o 2 W. from which an
Ash 9 in. dia. bears S 30 W. 13 links dist; to
Logwood 4 " " " S 64 E 16 " "

T. No 10 N.R. No 1 W. 2nd Sec. Mer. (Ind.)

Sands and timber same as on the last 1/2 mile.

North On the E. side of Sec. 25. T. No 10 N.R. No 2 W.

16.00 To an Ash 18 in. dia. It stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 10 in. dia. bears S 47 W. 12 links dist; or

do 40 " " " N 31 E. 4 " "

55.00 To a Buck 150 links wide; Course S 77

80.00 Set a post for the cor. to Sec. 24 & 25. T. No 10
N.R. No 2 W. from which an

Ash 15 in. dia. bears S 45 E. 12 links dist; or

Maple 8 " " " N 75 W. 15 " "

Sands on the 1st 1/2 mile same as the last.

described; 2nd 1/2 not bottom lands; T.

Maple 10.

Surveyed by Asst. Holmes
Deputy Chf.

October 4th 1815. The above line Continued
by W. Harris Dep^y Surveyor.

North On the E. side of Sec. 24. T. No 10 N.R. No
2 W. On the true line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Maple 17 in. dia. bears S 45 W. 10 links dist; or
B. Oak 5 " " " N 38 E. 7 " "

80.00 Set a post for the cor. to Sec. 13 & 24 T. No 10
N.R. No 2 W. from which a

B. Buck 4 in. dia. bears - 54 W. 8 links dist;

or do 18 " " " N 13 E. 29 " "

Sands first 1/2 mile not bottom lands; 2nd 1/2
Willy good Ind; Timber Buck & Oak,

North On the E. side of Sec. 13. T. No 10 N.R. No 2
W. On the true line

21.50 To a Creek 45 links wide; Course W.

37.60 Entered the N. Board line of Harris me

T. N^o 10. N.R. N^o 17. 2nd Mer. Ind.^e

- Purchase under let a post for the cor. to sec 13 &
 18 T^s N^o 10. N.R. N^o 1 & 2 W. from which a
 Buck 13 in. dia. bears N 39 E. 10 miles dist; to
 do 16 " " " S 74 W 29 " "
 40.00 Let a post for the cor. to 1/4 sec. from which a
 W Oak, 14 in. dia. bears S 39 W. 2 miles dist;
 Buck 8 " " " N 28 E. 30 " "
 80.00 Let a post for the cor. to sec. 12 & 13. T. N^o
 10. N.R. N^o 2 W. from which a
 Sycamore 18 in dia bears S 10 E. 22 miles dist;
 Sugar 10 " " " N 84 W 30 " "
 Sandhill by Buck, Sugar, Oak, Hickory
 meeting good farming lands.

North On the E side of sec. 12 T. N^o 10. N.R. N^o
 2 W. On the true line

- 40.00 Let a post for the cor. to 1/4 sec. from which a
 Buck 18 in. dia bears N 4 E. 17 miles dist; to
 do 24 " " " S 28 W 33 " "
 80.00 Let a post for the cor. to sec. 1 & 12. T. N^o 10 N.
 R. N^o 2 W. from which a
 Buck 12 in. dia. bears S 48 W. 27 miles dist; to
 do 5 " " " N 4 W. 20 " "
 Lands and timber the same as on the last mile

North On the E side of sec. N^o 1 T. N^o 10 N.R. N^o
 2 W. On the true line.

- 22.00 To a small Brook
 40.00 Let a post for the cor. to 1/4 sec. from which a
 Buck 9 in. dia bears S 72 E. 26 miles dist; to
 do 9 " " " N 79 W 50 " "
 72.00 To a Brook 20 miles in dia. bears N.W.
 77.50 Intersected the Random line.
 80.00 Let a temporary post for the cor. to T^s 10 & 11 N.
 R. N^o 2 W.
 84.82 To the cor. of T^s 10 & 11 N.R. N^o 1 & 2 W.

T. N^o 18. N. N. N. 17. 2^{da} Men. (Ind.)

East Subdivisions
East Bottom Sec. 30 & 31 T. N. 10. R. 17.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 8 in. dia brace N 69 W. 11 pike mid; to
 to 10 " " " " N 29 E. 15 " "
67.00 To a Brook 100 pike mid; Course N
80.00 Set a post for the cor to Sec. 29, 30, 31 & 32
from which a "Hick" 11 in. dia brace S 30 E 32 $\frac{1}{4}$
ditch; to Sycamore $\frac{1}{4}$ " " " " N 77 W 14
 " Sande Buck, bottom mostly meadow
good for farming.

South On a Random line between Sec. 31, 32 T. 4. N.
10 R. 4. W.

30.00 To a Brook 100 miles wide; Course N.
35.00 " " " 100 " " " E.
40.00 Set a trip. post for the cor. N. 1/4 sec.
70.00 To a Brook 100 miles wide; Course N.
79.83 Intersected the E. & N. line 65 miles East of
section cor. for 31.132.
This mile Back Bottom good for farming

North On the true line between Sep. 31. 132. J. N. 111.
N. R. N. 174.

39.91 Set the trap for the acc. dish; on the true
line for the cor. to 14 sec. From which a
Buck 4 in. dia. bore S 53 E 16 miles dish;
No 30 a a a N 27 E 13 a a
49.83 To the point set for the cor. to 29. 31. 31.32

East On a Random line between Sep. 29. 132 T. No.
10 N.R. No 174.

44000 Set a trap. 7 feet for the cor. to 74 sec.
79.74 Then section the N. & S. line 4 miles N. of the
first set for the cor. to sec. 28, 29, 32, & 33.
West of Canada River as on the last mile

T. N^o 10 N. W. N^o 17. 2nd Mer. Ind.^e

East of hilly lands meadowing good for farming; Timber. Buck, Sugar & Poplar.

West On a true line between Sec. 29. & 32

39.87. Set the temporary post at the corr. dist; on the true line for the cor. to $\frac{1}{4}$ sec. from which a Buck 8 in. dia. bears S 86 E 32 miles dist; or

N 11 W — — N 60 W. 15 — —

79.74 To the Cor for Sec. 29. 30. 31. & 32.

North Between Sec. 29 & 30 T. N^o 10 N. W. N^o 17.

41.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a Ironwood 4 in. dia. bears N 11 W. 4 miles dist; or
Buck 11 — — — S 49 E 34 — —

70.00 To a Brook 15 miles wide; Course N.

80.00 Set a post for the cor. to Sec. 19, 20, 29. & 30.
from which a

Buck 9 in. dia. bears S 38 W. 3 miles dist; or
Oak 24 — — — N 63 E 14 — —
Lands hilly; Buck, Sugar, Oak &c.

East Between Sec. 19 & 30. T. N^o 10 N. W. N^o 17.

41.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.30 Intersected the N. & S. line 26 miles S. of sec.
Cor. for 19. & 30.

East On a true line between Sec. 20. & 29 T. N^o 10 N. W. N^o 17.

41.00 To a Brook 10 miles wide; Course S. W.

41.00 Set a temporary $\frac{1}{4}$ sec. post

79.96 Intersected the N. & S. line 21 miles N. of the
Sec. Cor.

East Between Sec. 21. & 28 T. N^o 10 N. W. N^o 17.

201 Intersected the N. Bonner's line of McAnis's
Purchase for the cor. to Sec. 21. & 28. & set a post

T. N^o 10 N.R. N^o 1 W. 2nd Mer. Ind.

From which a

Heck 7 1/2 in. dia. bears S 37 E. 26 miles dist;

Dogwood 9 " " " N 61 W 27 " "

West On a true line between Sec^s 20 & 29. T. N^o 10
N.R. N^o 1 W

39.98 Set the temporary post at the avor. dist on the
true line for the cor. to 1/4 sec. From which a
Syc 12 in. dia. bears S 5 W. 30 miles dist;
Ironwood 3 " " " N 69 W. 4 " "

79.96 To the post set for the cor. to sec 19, 20, 29
& 30.

North Between Sec^s 19 & 20. T. N^o 10 N.R. N^o
1 W.

40.00 Set a post for the cor. to 1/4 sec. From which a
Buckeye 8 in. dia. bears N 29 E. 12 miles dist
W. 4 Buck 6 " " " S 53 E. 15 " "

59.72 Intersected the N. Boundary line of H^os' Purchase. and set a post for the cor. to Sec^s
19 & 20. From which a
Buck 8 in. dia. bears N 37 E. 9 miles dist; to
Lo 4 " " " S 39 W. 22 " "
Sando Kelly; Timber Oak, Buck, Poplar,
&c.

West On the true line between Sec^s 19 & 30 T. N^o 10.
N. R. N^o 1 W

39.65 Set the temporary post at the avor. dist on the
true line for the cor. to 1/4 sec. From which a
B. Ash 7 in. dia. bears N 10 W. 7 miles dist; to
Lo 8 " " " S 7 E 11 " "

79.30 To the cor. of sec. 19 & 30

East Between Sec^s 18 & 19 T. N^o 10. N.R. N^o 1 W.

T. N^o 10. N.R. N^o 1 W. 2nd Mer. (Ind^o)

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 17 in. dia. bore S 82 W. 11 miles dist; & a
 Sugar 7 " " " N 13 W. 13 " "
- 52.20 Intersect the N. Boundary of Harrison's Purchase
 and set a post for the cor. to lat. 18.119
 T. N^o 10. N.R. N^o 1 W. from which a
 Buck 15 in. dia. bore N 74 W. 13 miles dist; & a
 Ho. 16 " " " N 63 E. 19 " "
 Sande Hilly meadling soil; Oak, Ash, Buck
 under, Poplar

Oct: 1st 1815.North Teton lat. 33. & 34 T. N^o 10 N.R. N^o 1 W.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Oak 24 in. dia. bore S 56 W. 20 miles dist; & a
 Hick 5 " " " - 58 E. 19 " "

- 80.00 Set a post for the cor. to sec. 27, 28, 33 & 34 T.
 N^o 10. N.R. N^o 1 W. from which a
 Buck 6 in. dia. bore N 64 W. 2 miles dist; & a
 Ho. 24 " " " S 9 E. 12 " "
 Sande Hilly meadling soil; Timber Oak, Buck
 Poplar, Ash &c.

East Teton lat. 27 & 34 T. N^o 10 N.R. N^o 1 W.

- 30.83 Intersect the N. Boundary of Harrison's Purchase
 and set a post for the cor. to lat. 27. & 34 from which
 an Elm 15 in. dia. bore S 33 E. 2 miles dist; & a
 Sugar 15 " " " N 53 W. 35 " "
 Sande soil timber &c same as on the last mile;

North Teton lat. 27 & 28 T. N^o 10. N.R. N^o 1 W.

- 22.54 Intersect the N. Boundary of Harrison's Purchase
 and set a post for the cor. to lat. 27. & 28
 T. N^o 10 N.R. N^o 1 W. from which a
 Buck 9 in. dia. bore S 64 W. 4 miles dist; & a
 Sugar 10 " " " S 54 W. 25 " "

T. N^o 10 N. R. N^o 17th 2nd Mer. (Indy)

Sands timber soil &c same as on the last mile

October 2nd 1815.

North Between Secs. 32. & 33. T. N^o 10 N. R. N^o 17th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 3 in. dia. bears N 69 W. 3 miles dist; &c
Do 14 " " " S 85 E. 21 " " "

49.00 To a Brook 25 miles miles; Course S. E.

80.00 Set a post for the cor. to Secs. 28, 29, 32. & 33.
from which a

Buck 18 in. dia. bears S 75 E. 7 miles dist; to
Ash 20 " " " N 9 W. 33 " " "

Sands hilly & muddling soil; Timber Oak, Ash
Buck. Poplar, &c

East On a Random line between Secs. 28. & 33. T. N^o 10.
N. R. N^o 17th.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.86 Intersect a the N. & S. line 65 miles South of the
post set for the cor. to Secs. 27, 28, 33. & 34

Sands, soil, timber, &c same as on the last mile.

West On a true line between Secs. 28. & 33. T. N^o 10 N.
R. N^o 17th.

39.93 Set the temporary post at the area dist; on the true
line for the cor. to $\frac{1}{4}$ sec. from which a

B. Oak 14 in. dia. bears N 69 E. 23 miles dist; &c

Buck 9 " " " N 76 W. 25 " " "

79.86 To the post set for the cor. to Secs. 28, 29, 32, & 33

North Between Secs. 28. & 29. T. N^o 10. N. R. N^o 17th.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Sugar 9 in. dia. bears N 72 E. — miles dist; &c

Do 2 $\frac{1}{2}$ " " " N 88 W. 11 " " "

80.00 Set a post for the cor. to Secs. 20, 21, 28. & 29. from which
a B. Oak 4 in. dia. bears East 10 miles dist; &c

T. N^o 10. N.R. N^o 177. 2nd Mer. (Ind^y)

Back 18 m. dia. bears N 35 47. 21 miles dist;
Land Hilty, muddling soil; Timber Oak, Ash, Buck

North Between Sec. 20. & 21. T. N^o 10. N. R. N^o 177.

1.40 Intersected the E. Boundary line of Harrison's Purchase made at the spot for the cor. to sec. 20. & 21. from which a Sugar 4 m. dia. bears S 89 E. 10 miles dist; 1 a Sugar 3 m n n N 77 77 21 n n Land, soil, timber &c same as in the last one.

North Between Sec. 34. & 35 T. N^o 10 N.R. N^o 177.

24 00 To a Buck 15 miles mile; corner S. E.

40 00 Set apart for the cor. to 34. sec from which a Buck 6 m. dia. bears S 30 W. 12 miles dist; 1 a Ho 8 n n n N 24 E. 13 n n

43 90 Intersected the N. Boundary line of Harrison's Purchase made at a spot for the cor. to sec. 34 & 35 T. N^o 10 N.R. N^o 177. from which a

W. Oak 24 m. dia. bears S 28 77. 19 miles dist; 1 a

Hick 7 14 n n n N 20 W. 13 n n

Surveyed by

Wm. Harris Sec.

Subdivisions

Of T. N^o 10. N.R. N^o 177. North of the N. 43.9 line of Harrison's Purchase.

North Between Sec. 19. & 20. T. N^o 10 N.R. N^o 177.

59. 72 Originally Surveyed to the N.E. Boundary of Harrison Purchase line extended

67. 64 To a Buck 19 m. dia. bears n. n. the line.

80 50 Set apart for the cor. to sec. 17. 18. 19. & 20. T. N^o 10 N.R. N^o 177. from which a

Sugar 4 m. dia. bears S 20 W. 10 miles dist; 1 a

Sugar 4 n n n N 50 E. 11 n n

Brook 2nd rate land; Timber W. Oak, Ash, Sugar, &c n. n. Pine &c.

T. N^o 10. N. R. N^o 1 W. 2nd de Mer. (Ind.)

West Ona Random line between Jul. 18. & 19. T. N^o 10. N. R. N^o 1 W.

27.31 To a point 49 miles N. of the first on the Old
Boundary; Sands broken 2nd de rate;
Timber W Oak, Buck, Ash; & w. y. Spruce, &c.

East Corrected between Jul. 18. & 19. T. N^o 10. N. R. N^o 1 W.

15.15 To a Buck 19 m. dis. Stands in the line

27.31 To the cor. of Jul. 18. & 19.

North Between Jul. 17. & 18. T. N^o 10. N. R. N^o 1 W.

22.28 To a Hickory 22 m. dis. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Hornbeam 3 m. dis. bears S 43 E. 8 miles dis; & a
Dogwood 4 " " " S 67 W. 18 " "

59.65 To a W Oak 22 m. dis. Stands in the line

65.00 " " Brook 20 hundred yds; course S. S. W

80.00 Set a post for the cor. to Jul. 7. 8. 17. & 18. from which
Sage 8 m. dis. bears N. 41 W. 1/2 miles dis; & a
Buck 17 " " " S 47 E 14 " "
Broken 3rd de rate; Timber Buck, W Oak, B.
Oak, Hickory & w. y. Dogwood Ironwood, Spruce

West Between Jul. 7. & 18. On a Random line T. N^o
10. N. R. N^o 1 W.

40.50 Set a temporary post for the cor. to 1/4 sec.

79.50 Intersect the N. Boundary of T. N^o 10. N. R. N^o
1 W. 10. miles N. of the post set for the cor. to Jul.
12 & 13. T. N^o 10. N. R. N^o 2 W. Broken 3rd de rate
Sands; Timber Hickory, Buck, W Oak, Ash, & w.
y. Sassafras, Hickory, Oak, B. pine.

East Corrected between Jul. 7. & 18. T. N^o 10. N. R. N^o
1 W.

14.07 To a Hickory 22 m. dis. Stands in the line.

39.75 Set a post (temporary) at the corr. dist; on the true

T. N^o 10. N. Y. R. N^o 177. 2nd & 3rd Mer. (Ind. a)

- Line for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 26 in. dia. bears N57 W. 16 miles dist; 10
 Do 16 " " " S10 E 19 " "
 53.30 To a Hick⁷ 14 in. dia. Stands in the line.
 79.50 To the post set for the cor. to lat. 7. 8. 17. & 18.

- North Between Lat. 7. & 8. *T. N^o 10 N. Y. R. N^o 177.*
 24.00 To a Sugar 16 in. dia. Stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 4 in. dia. bears N24 - 10 miles dist; 10
 W. Oak 17 " " " S78 E. 14 " "
 61.11 To a W. Oak 27 in. dia. Stands in the line.
 80.00 Set a post for the cor. to lat. 5. 6. 7. 8. from which a
 Buck 5 in. dia. bears S56 W. 18 miles dist; 10
 Do 6 " " " S87 E. 16 " "
 Broken 3rd date land, Timber B. Oak, W. Oak,
 Buck, Hick⁷; n. y. Dogwoods, Sassafras, Hick⁷,
 Hackberry &c.

- West Between Lat. 6. & 7. On a Random line. *T. N^o 10.
 N. Y. R. N^o 177*
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.89 Intersected the W. boundary of *T. N^o 10 N. Y. R. N^o 177*
 4 miles N of the post set for the cor. to lat. 1 & 2
T. N^o 10 N. Y. R. N^o 277. Broken 3rd date land.
 Timber W. Oak, B. Oak, Buck, Hick⁷; 10; n. y.
 Sassafras, Hick⁷, Dogwoods, Prunes &c
 Lat. 4. 1819

- East Between line between Lat. 6 & 7. *T. N^o 10 N. Y. R.*
 21.14 To a Hick⁷ 19 in. dia. bears in the line.
 39.94 Set the temporary post at the aver. dist; on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 14 in. dia. bears N64 W. 19 miles dist; 10
 Do 4 " " " S57 E. 16 " "
 46.99 To a W. Oak, 30 in. dia. Stands in the line.

T. N^o 10 N.R. N^o 177 2nd Mer. (Ind^a)

79.89 To the first pt for the cor. to Sect 5. 6. 7. & 8.

North Between Sect 5 & 6. T. N^o 10 N.R. N^o 177.

2174 To a Sp Oak 54 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec from which a
Logan 6 in. dia. bears N 47 W. 11 miles dist;
do 5 " " " S 23 E. 18 " "

60.68 To a Buck 17 in. dia. bears in the line.

83.00 Intersect the N.E. corner of T. N^o 10 N.R. N^o 177.

1221 miles East of the first pt for the cor. to Sect

31. 132 T. N^o 11 N.R. N^o 177. and set a post from
which a W. Oak 34 in. dia. bears S 57 W. $\frac{1}{2}$ mile dist;

and a Buck 18 " " " N 41 E. 27 " "

Broken 2nd & 3rd rate land; Timber W. Oak,Buck, Sugar, Sp Oak, Hickory, Poplar, ash & to
W. Spruce, Logans, ash, Hickory &c.North Between Sect 20. & 21. T. N^o 10 N.R. N^o 177.1.40 Originally surveyed to the N.E. corner of
Harrison's Purchase. Line Extended

20.35 To a Hickory 19 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec from which a

Sugar 18 in. dia. bears N 36 W. 10 miles dist; & a

Buck 20 " " " N 87 E. 31 " "

41.55 To a Brook 10 mile wide; Runs S.W.

64.00 To an Elm 24 in. dia. stands in the line.

86.00 Set a post for the cor. to Sect 16. 17. 20. & 21. from
which a

Buck 4 in. dia. stands N 88 W. 27 miles dist; & a

do 17 " " " N 73 E. 12 " "

Broken 3rd rate land; Timber W. Oak, W. Oak,Buck Hickory &c. W. Spruce, Logans, Ironwood &
Hickory, Birch &c.West Between Sect 17. & 20 On a Random line T. N^o
10 N.R. N^o 177. 2nd Mer. Indiana40.00 Set a post for the cor. to $\frac{1}{4}$ sec.

T. No 10 N.R. No 1 W. 2nd Mer. Ind.

79.55 Intersect the W. Boundary 18 miles S of the first set
for the cor. to sec. 17. 18. 19. 20. T. No 10. N.R. No 1 W.
Broken 2nd & 3rd rate; Timber W. Oak, Timber
Buck, W. Spruce, Logwoods, & Ironwoods. &c.

East Between Sec. 17. & 20. T. No 10 N.R. No 1 W.
25.00 To a Buck 18 in. dia. stands in the line.
39.77 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Logwoods 5 in. dia. bears S 43 E 21 miles dist; & a
Buck 22 " " " N 57 E 28 " "
57.27 To a Whitey 18 in. dia. stands in the line
79.55 To the first set for the cor. to sec. 16. 17. 20. & 21.

North Between Sec. 16. & 17. T. No 10 N.R. No 1 W.
22.38 To a W. Oak 28 in. dia. stands in the line
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 7 in. dia. bears N 41 W. 20 miles dist; & a
do 16 " " " N 71 E. 22 " "
57.00 To a Sugar. 13 in. dia. stands in the line.
71.00 " " Brook 12 miles wide; Corner W. S. W.
80.00 Set a post for the cor. to sec. 8. 9. 16. 17. from which a
Maple 16 in. dia. bears N 39 W. 18 miles dist; & a
W. Oak 20 " " " S 38 E. 26 " "
Broken 3rd rate lands; Timber W. Oak, & B. Oak
Buck, Sugar, Hickory &c; W. Logwoods, Ironwoods
& Hickory & Oak &c

West Between Sec. 8 & 17. On a Random line T. No 10 N.
W. No 1 W.
40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
73.20 To a Brook 10 miles wide; Corner S. E.
79.53 Intersect the N. S. line 8 miles South of the first
set for the cor. to sec. 7. 8. 17. & 18. Good 2nd rate
lands. Timber W. Oak, Buck, Ash, Sugar, &c.
W. Spruce & Maple. &c.

T. N.º 10. N.R. N.º 1 W.º D.º Mer. (Ind.º)

East On the true line between Sep. 8. & 17. *T. N.º 10 N.R. N.º 1 W.*

17.33 To a Buck 6 in. dia. stands in the line.

39.76 Set the temp. post at the aver. dist. on the true line for the cor. to 1/4 sec. from which a

Hornbeam 3 in. dia. bears S 34 W. 11 links dist; & a

Buck 4 " " " N 46 E. 16 " "

57.93 To a Buck 18 in. dia. stands in the line.

79.53 To the cor. of Sep. 8. 9. 16. 17

West Between Sep. 8 & 9. *T. N.º 10. N.R. N.º 1 W.*

20.46 To a H. Oak 19 in. dia. stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a

Buck 2 in. dia. bears N 32 E. 14 links dist; & a

Hornbeam 2 " " " S 64 W. 4 " "

41.44 To a Birch 6 links wide; corner S.W.

58.50 " " H. Oak 19 in. dia. stands in the line.

80.00 Set a post for the cor. to Sep. 4. 5. 8. 9. from which a Buck 22 in. dia. bears S 77 W. 7 links dist; & a

Sugar 18 " " " N 44 E. 21 " "

Sands broken 3rd rate; Timber N. & 1/3 Oak.

White, Buck, Sugar, &c. N.º 1 Hogw. & Heik.

Grounds &c. Sep. 5th 1819.

West Between Sep. 5. & 8. On a Meridian line *T. N.º 10 N.R. N.º 1 W.*

40.00 Set a temp. post for the cor. to 1/4 sec.

79.57 Intersect the N. & S. line 28 links North of the post set for the cor. to Sep. 5. 6. 7. & 8. Sands broken &

3rd rate lands; Timber N. & 1/3 Oak. Sugar, Heik.

Poplar, &c. N.º 1 Hogw. & Sassafras; Oak, &c.

Heikory, & Birch, &c.

East On a true line between Sep. 5 & 8. *T. N.º 10. N.R. N.º 1 W.*

12.00 To a H. Oak 26 in. dia. stands in the line.

39.79 Set a post for the cor. to 1/4 sec. at the aver. dist; on the

T. N^o 10 N.R. N^o 17th. 2nd & 3rd Run (Ind.?)

- tree line. From which an
 Ironwood 6 in. dia. bears S22 W. 26. 1/2 mile dist; & a
 Sugar 13 " " " N10 E. 29 " "
 59.81 To a Poplar 32 in dia. stands in the line.
 77.59 To the first set for the cor. to Sec. 4 5. 8. 9.

- North Between Sec. 4 & 5. T. N^o 10 N.R. N^o 17th.
 20.70 To a Buck 16 in. dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 21 in. dia. bears N24 W. 5. 1/2 mile dist; & an
 Ash 3 " " " S11 E. 40 " "
 64.57 To a Spr. Oak 22 in. dia. stands in the line.
 81.22 Intersected the N. Boundary of T. N^o 10 N.R. N^o 17th. 13 ch. 25 miles East of the first set for the cor. to
 32, 33. T. N^o 11 N.R. N^o 17th. & set a post for the
 cor. to Sec. 4 & 5. From which a
 Logwood 4 in. dia. stands S35 E. 7 1/2 miles dist; &
 Hickory 10 " " " S72 W. 17 " "
 Land broken 2nd & 3rd rate; Land W. Oak,
 T. Oak, Buck, Poplar, Sugar, Hickory, Ash, &c
 n.g. Logwood, Spruce, Hickory, Oak, &c
 Dec. 7th 1819.

- North Between Sec. 27, 28. T. N^o 10 N.R. N^o 17th.
 22.54 Originally surveyed by the N. E. Boundary of Har-
 nemo Church. Line Extended
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 4 in. dia. bears N77 E. 5 1/2 miles dist; & a
 Do 14 " " " S51 W. 16 " "
 63.10 To a Shell bark Hickory 18 in. dia. stands in the line
 80.00 Set a post for the cor. to Sec. 26, 27, 28. from which
 a W. Oak 10 in. dia. bears N50 W. 8 1/2 miles dist; & a
 W. Oak 14 " " " S18 E. 19 " "
 Land broken 3rd rate; Timber W. Oak, T. Oak
 Buck, Hickory &c Sassafras Brins; &c.

T. N^o 10. N.R. N^o 177. 2nd Mer. (Ind.?)

West Between Sep. 21 & 28. One Random line. T. N^o 10.
N.R. N^o 177.

40.00 Set a temporary post for the cor. to 1/4 sec.

77.13 To a point 10 links S of the post set on the Old
Boundary line; Sunde Broken 2nd & 3rd rate
Timber W. Oak, Ash, Poplar, Buck, Sugar, &
W. Spruce, Sassafras &c.

East Corrected the line between Sep. 21 & 28 T. N^o 10.
N.R. N^o 177.

2.01 Originally Surveyed to the Old Boundary line
Line. Extended

21.74 To a Buck 14 in. dia. Stands in the line.

39.56 Set the post (temp.) at the corner in the true
line for the cor. to 1/4 sec. from which a
Buck 16 in. dia. bears N 13 E. 7 links dist; & a
S. Oak 33 in. ~ ~ S 75 E. 20 in. ~ ~

64.85 To a Buck 24 in. dia. Stands in the line.

79.13 To the post set for the cor. to Sep. 20, 21, 28 & 29

North Between Sep. 21 & 22 T. N^o 10. N.R. N^o 177.

22.09 To a Sugar 19 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 13 in. dia. bears N 34 E. 21 links dist; & a
Do 6 in. ~ ~ S 44 W. 25 in. ~ ~

67.50 To a W. Oak 18 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sep. 15, 16, 21, 22 from
which a Log wood 8 in. dia. bears N 88 W. 8 links dist;
and a Do 5 in. ~ ~ N 16 E 17 in. ~ ~
Sunde broken 2nd & 3rd rate; Timber W & W Oak
Buck, Hickory & Sugar tree; W. Spruce, Maple, White-
oak, Birch & Vine &c.

West Between Sep. 16 & 21 One Random line T. N^o 10.
N.R. N^o 177.

40.00 Set a temporary post for the cor. to 1/4 sec.

T. No 10 N.R. No 177. 2nd Mer. Ind.^a

- 62.00 To a Brook 10 miles wide; Course N. N.W.
 79.28 Intersected the N & S line 34 miles N. of the Post set
 for the cor. to Sep. 16. 17. 20. & 21. Broken &
 3rd rate land; Timber W. Oak, Y.B. Oak, Hickory
 &c. w/ Sassafras Dogwoods, &c.

- East Correction between Sep. 16 & 21. T. No 10. N.R. No 1
 W. 2nd Mer. Ind.^a
 23.74 To a W Oak 28 in. dia stands on the line.
 39.64 Set the temporary Post at the corner on the true line
 for the cor. to 1/4 sec. from which a
 Buck 18 in. dia bears N 55 E 28 miles dist; & a
 Sugar 16 " " " S 49 W. 14 " "
 60.78 To a Spruce 20 in. dia stands on the line.
 79.28 To the Post set for the cor. to Sep. 15. 16. 21. 22.

- North Between Sep. 15. & 16. T. No 10. N.R. No 177.
 28.46 To a Buck 8 in dia stands on the line.
 40.00 Set a Post for the cor. to 1/4 sec. from which a
 Sugar 13 in. dia bears N 56 E 14 miles dist; & a
 Do 14 " " " N 70 W. 25 " "
 66.31 To a Buck 19 in dia. stands on the line.
 80.00 Set a Post for the cor. to Sep. 9. 10. 15. 16. from
 which a Buck 26 in. dia stands N 32 E. 13 miles dist;
 and a Do 17 " " " S 84 W. 27 " "
 Land Broken 3rd rate; Timber Buck W. Oak
 Y.B. Oak, Hickory &c. w/ Sassafras Dogwoods,
 Dogwoods, Prunes & vines, &c.

- West On a Random line between Sep. 9. & 16. T. No 10.
 N.R. No 177
 16.50 To a Brook 10 miles wide; Course N. N.W.
 40.00 Set a temporary Post for the cor. to 1/4 sec
 79.16 Intersected the N & S line 28 miles N. of the Post
 set for the cor. to Sep. 8. 9. 16. & 17. Land Broken
 3rd rate; Timber W. Oak, Y.B. Oak, Hickory, & Buck

I. N^o 10. N.R. N^o 17. 2nd Mer. (Ind^a)
 w. Dogwoods, Sassafras, Hick^y & Pinus. &c.

- East On a true line between Sect. 9 & 16. I. N^o 10. N. R. N^o 17.
 24.16 To a Hick^y 14 in. dia. Stands in the line.
 39.58 Set the temp^y post at the avor. dist. on the true line for the cor. to pt. 9. From which a
 W Oak 3 in. dia. Stands N 69 W. 13 miles dist. to
 Dogwoods 4 " " " " N 22 E 16 " "
 59.10 To a Poplar 18 in. dia. Stands in the line.
 79.16 To the post set for the cor. to sec. 9. 10. 15. 16.
 Dec. 8th 1819.

- North Between Sect. 9 & 11. I. N^o 10. N. R. N^o 17.
 16.25 To a W. Oak 14 in. dia. Stands in the line
 40.00 Set a post for the cor. to pt. 9. From which a
 Hick^y 16 in. dia. bears N 26 W. 18 miles dist.; to
 Beech 19 " " " " S 36 E. 28 " "
 64.28 To a Beech 18 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sect. 3. 4. 9. 10. From which
 a Dogwoods 4 in. dia. Stands N 23 W. 5 miles dist;
 to do 6 " " " " N 44 E. 31 " "
 Broken 3rd rate lands; Timber W. Oak, Beech,
 W Oak, Hick^y, Sugar, &c. (N.) Sassafras,
 Dogwoods, Hick^y, 73 miles &c.

- West On a Random line between Sect. 4 & 9. I. N^o 10.
 N.R. N^o 17.
 40.00 Set a temp^y post for the cor. to pt. 9.
 79.46 Intersected the N & S line 19 miles S of the post.
 Set for the cor. to Sect. 4. 5. 8. 9. Lands broken &
 3rd rate W. Oak, W Oak, Beech, Hick^y,
 Sugar, &c. Timber; N. Dogwoods, Hick^y ash,
 Pinus &c.

East Between Sect. 4 & 9. On the true line. I. N^o 10. N.

T. N^o 10. N.R. N^o 177. 2nd Mer. (S. A. 9)

N. N^o 177.

- 19.62 To a Sugar 16 in. dia. stands in the line.
 39.73 Set a post for the cor. to 1/4 sec. at the aver. dist; on the
 true line from which a
 Hick 12 in. dia. bore S 76 E. 24 links dist; & a
 Buck 14 " " " N 6 E. 50 " "
 52.56 To a Buck 17 in. dia. stands in the line.
 79.46 To the post set for the cor. to sec. 3, 4, 9, & 10.

North Section Lot 3 & 4 T. N^o 10. N.R. N^o 177.

- 22.58 To a Hick 10 in. dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Log made 4 in. dia. bore S 88 W. 15 links dist; & a
 W. Oak 17 " " " S 83 E. 22 " "
 59.00 To a W. Oak 19 in. dia. stands in the line.
 64.08 " " Brook 15 links wide; corner N.W.
 79.60 Intersected the N.E. corner of T. N^o 10. N.R. N^o
 177 13 ch. 14 links East of the post set for the
 cor. to sec. 33 & 34 T. N^o 11 N.R. N^o 177. and set
 a post for the cor. to sec. 3 & 4. from which a
 B Oak 18 in. dia. bore N 26 W. 9 links dist; & a
 Buck 4 " " " S 53 E. 14 " "
 Lands the 1st 60 ch. broken 3rd rate; The bal-
 ance 2nd rate land & forest; Timber Buck, W Oak,
 Elm, Hick, Sugar, & W. Log made, Hazel,
 & Ironwoods;

North Section Lot 34 & 35. T. N^o 10. N.R. N^o 177.

- 43.90 Originally surveyed to the N.E. corner of
 Hamilton's Purchase; Line extended
 62.28 To a Sp Oak 32 in. dia. stands in the line.
 66.94 To a Brook 12 links wide; corner S.E.
 75.00 " " " 15 " " " S.E.
 80.00 Set a post for the cor. to sec. 26, 27, 34, & 35
 from which a Buck 16 in. dia. bore N 85 W 17 links
 dist; and a Do 14 " " " N 66 E 14 "

T. N^o 10. N.R. N^o 1st W. 2nd Mer. (Ind. a.)

distant; Sept 2nd Rate lands. Timber Ash
Walnut, Sugar, Beech &c. W^g Spruce, &c.

West Onaquadam line between Sep 27. 1834 T. N^o 10.
N.R. N^o 1st W.

4.30 To a Brook 15 miles wide; course S. E.

21.64 " " " 12 " " " " S. E.

40.00 Set a temporary post for the cor. to 1/4 sec.

49.81 To a point 30 miles N. of the post set on the
N. E. Boundary of Harrison's Purchase.

Land past first 2nd rate; Past 1st Brook
3rd rate Land; Linta Beech, Hick^o, Ash,
Oak, &c. W^g Spruce, Ironwoods, Logwoods. Ash

East Corrected between Sep 27. 1834. T. N^o 10 N.R. N^o
1st W.

30.83 Originally Surveyed to the Old Indian boundary
or the N. E. Boundary of Harrison's Purchase.
Line extended.

40.34 Set the temporary post at the aver. dist. in the true
line for the cor. to 1/4 sec. from which on
Ironwood 5 m. dia. bore N 52 E. of the dist. to

Logwood 5 " " " S 32 W 13 " "

62.03 To a Locust 18 m. dia. stands in the line.

81.64 To the post set for the cor. to Sep 26. 27. 33. 1834

North Between Sep 26 & 27. T. N^o 10. N.R. N^o 1st W.

1.80 To a Brook 15 miles wide; course N. & W.

5.15 " " " 15 " " " " S. E.

17.62 " " " 15 " " " " W.

19.32 To a Beech 16 m. dia. stands in the line.

28.50 To the same Brook 15 miles wide; course S. E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beech 4 m. dia. bore N 14 W. 19 miles dist; to

Lo 33. " " " S 68 E. 18 " "

56.62 To a W. Oak. 20 m. dia. stands in the line.

J. N^o 10. N.R. N^o 17. 2nd Mer. (Ind.^a)

80.00 Set apart for the cor. to sec. 22, 23, 26, 27. from
which a Beech 17 in. dia. bears N 21 W. 29 the dish;
and a B. Gum 28 " " " S 26 E. 5 " "
Sands 1st $\frac{1}{2}$ level 2nd rate; 2nd $\frac{1}{2}$ since Bro-
ken 3rd rate; Timber Beech, Ash, Sugar & Hick-
ory &c. W. Spruce, ash, Ironwoods, Sassafras
Pines, &c.

West On a Random line between sec. 22, 27 J. N^o 10.
N.R. N^o 17.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.52 Intersected the N. & S. line 20 miles N of the
post set for the cor. to sec. 21, 22, 27, 28
Sands broken 3rd rate; Timber W. Oak, B Oak,
Beech, Hickory, &c. W. Ironwoods Pines &c.

East Corrected Between sec. 22, 27. J. N^o 10. N.R. N^o
17. 2nd Mer.

12.00 To a Hickory 16 in. dia. stands in the line.

40.26 Set the temporary post at the cor. east; on the true
line for the cor. to $\frac{1}{4}$ sec. from which a
Hickory 18 in. dia. bears N 88 W. 9 miles dish; & a
Maple 17 " " " S 8 E. 22 " "

58.54 To a Hackberry 19 in. dia. stands in the line

80.52 To the post set for the cor. to sec. 22, 23, 26, 27.

North Between sec. 22, 23. J. N^o 10. N.R. N^o 17.

19.78 To a B Oak 28 in. dia. stands in the line.

40.00 Set apart for the cor. to $\frac{1}{4}$ sec. from which a
Beech 22 in. dia. bears N 74 E. 19 miles dish; & a
Sugar 8 " " " S 46 W. 18 " "

54.58 To a Poplar 48 in. dia. stands in the line.

80.00 Set a post for the cor. to sec. 14, 15, 22, 23. from
which a W. Oak. 15 in. dia. bears N 77 W. 17 the dish;
and a Beech 8 " " " N 68 E. 13 " "
Sands broken 3rd rate; Timber W. Oak, B Oak,

T. N^o 10. N.R. N^o 17. 2nd Mer. (Ind.)

Beck, Sp. Oak, Hickory &c. W. Innwoods
Vine & Birch. &c.

West Between Sep. 15. & 22. T. N^o 10. N.R. N^o 17.
On a Random.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

80.42 Enter into the N. & S. line 23. like N. of the post
set for the cor. to Sep. 15. 16. 21. & 22. S. ends to-
ken 3rd rate; Timber N. Oak, T. Oak, & Beck
Hickory &c; W. Innwoods, Ash, &c.

East Corrected Between Sep. 15. & 22. T. N^o 10 N.

21.76 To a Walnut 18 in. dia. stands in the line.

40.21 Set the temporary post at the aver. dist; on the true
line for the cor. to $\frac{1}{4}$ sec. from which a

Beck, 16 in. dia. bears S 32 W. 13 links dist; to

Sugar 16 " " " N 10 E. 15 " "

69.17 To a N. Oak 22 in. dia. stands in the line.

81.42 To the post set for the cor. to Sep. 14. 15. 22. 23.

North Between Sep. 14. & 15. T. N^o 10. N.R. N^o 17.

20.00 To a N. Oak, 36 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Beck 14 in. dia. bears N 43 W. 58 links dist; to

Do 8 " " " S 65 E. 27 " "

59.50 To a Beck 18 in. dia. stands in the line.

80.00 Set a post for the cor. to Sep. 10. 11. 14. & 15. from

which a Beck 5 in. dia. bears N 36 W. 5 the dist

under a Do 4 " " " S 41 W. 19 " "

S. ends 1 Broken 2nd & 3rd rate; Timber Beck
Sugar, Poplar, N. Oak, Hickory &c. W. Inn
Sassafras. &c. Dec. 10. 1819.

West Between Sep. 10. & 15 On a Random line T. N^o 10
N.R. N^o 17.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

T. N^o 10. N.R. N^o 177. 2nd Mer. (Ind.)

80.48 Intersected the N.S. line 42 miles N. of the post set for the cor. to Sec. 9. 10. 15. & 16. Lands broken Part 1st & Part 2nd Rate. Timber Hickory Beech, Sugar, W. Oak, Y. Oak, Poplar, Ash & W. Y. Spruce, Ironwoods, &c.

East Corrected the line between Sec. 10. & 15 T. N^o 10 St. R. N^o 177.

17.00 To a Beech 18 in. dia. Stands in the line.

40.24 Set the temporary post at the aver. dist; on the true line for the cor. to 1/4 Sec. from which a Log mode 4 in. dia. bears N 46 W. 28 miles dist; to
Beech 5 " " " S 45 E 25 " "

50.43 To a Sugar 16 in. dia. Stands in the line.

80.48 To the first set for the cor. to Sec. 10. 11. 14. & 15.

North Between Sec. 10. & 11 T. N^o 10. N.R. N^o 177.

20.87 To a Sp. Oak, 32 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a Beech 12 in. dia. bears N 42 E. 10 miles dist; to
Hickory 14 " " " S 24 E 17 " "

71.64 To a Log mode 5 in. dia. Stands in the line.

80.00 Set a post for the cor. to Sec. 2, 3. 10. 11. from which a Beech 16 in. dia. bears N 68 W. 16 miles dist; under a Log 6 " " " N 83 E. 26 " "
Lands broken 3rd rate; Timber Beech, W. B. Oak, Hickory &c. W. Y. Log mode, Ironwoods, Prairie.

West Between Sec. 3. & 10. On a Random line T. N^o 10 N.R. N^o 177.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.00 Intersected the N. & S. line 14 miles N. of the post set for the cor. to Sec. 3. 4. 9. 10.

Lands Broken 3rd rate; Timber W. & B. Oak, Beech, Hickory Sugar &c. W. Y. Sassafras, Log.

T. N^o 10. N.R. N^o 177. 2nd Mer. (Ind^a.)
 mode Hick^y, Ironwoods, Brinslc.

East. Corrected the line between Sec. 3. & 10. T. N^o 10.
 N.R. N^o 177.

- 18.39 To a Hick^y 14 in. dia. Stands in the line
 40.32^p Set apart (temp^y) at the aver. dist; in the true
 line for the cor. to 74 sec. from which a
 7 Bech 13 in. dia. bears N 53 W. 28 miles dist; to a
 Hick^y 6 " " " S. 7 E. 18 " "
 56.63 To a Sugar 17 in. dia. Stands in the line.
 80.04 To the first set for the cor. to Sec. 2, 3, 10, 11.

North. Between Sec. 2 & 3. T. N^o 10. N.R. N^o 177.

- 19.48 To a W. Oak 16 in. dia. Stands in the line.
 40.00 Set a post for the cor. to Sec. 6th from which a
 7 Bech 18 in. dia. bears S 33 W. 8 miles dist; to a
 Do 14 " " " N 76 E. 24 " "
 43.58 To a Brook 10 miles wide; comes N. N. W.
 61.28 To a Sugar 14 in. dia. Stands in the line.
 78.03 Intersected the N. B. road of T. N^o 10. N.R.
 N^o 177. 13 ch^s 21 miles East of the first set for
 cor. to Sec. 34 & 35. T. N^o 11 N.R. N^o 177.
 and set apart for the cor. to Sec. 2 & 3. from
 which a W. Oak, 4 in. dia. bears S 51 E. 14 miles
 dist; to a Bech. 7 " " " N 80 W. 15 "
 — Sec. 2nd level 2nd rate; Part broken
 3rd rate; Timber W & B. Oak, 7 Bech, Ash,
 Sugar, Hick^y &c. W. 9 Hick^y Log woods,
 Ironwoods, Brinslc. Dec. 11th 1819.

North. Between Sec. 35. & 36. T. N^o 10. N.R. N^o 177.

- 13.00 To a Brook 75 miles wide; comes W. S. W.
 20.15 " the S. Ls 75 " " " S. S. E.
 20.15 A Bech 14 in. dia. Stands in the line on the Bk.
 of said stream
 28.00 Left the Brook & entered a Windfall

T. N^o 10. N. R. N^o 177. 2nd Mer. (Ind^o)

- 40.00 Lot a post for the cor. to $\frac{1}{4}$ sec. from which a
 Tree 3 in. dia. bears N 73 W. 11 miles dist; & a
 do 18 " " " S 63 E. 7 " " & left
 min fall
- 61.12 To a Poplar 36 in. dia. stands in the line.
- 80.00 Lot a post for the cor. to Sect 25, 26, 35, & 36.
 from which a Tree 3 in. dia. stands N 55 W. 5
 the dist; & a do 14 " " " S 61 E. 25
 " " Lands part level 2nd rate: Part Broken
 3rd rate: Timber Tree, W. Oak, Poplar, Hick
 & Sugar. W. Spruce, Dogwood, Birch & Vine etc.

West Between Sect 26. & 35 T. N^o 10. N. R. N^o 177.
 On a random line.

- 26.34 To a Brook 10 miles wide; Corner S. W.
- 40.00 Lot a temporary post for the cor. to $\frac{1}{4}$ sec.
- 70.58 Into Sect the N. & S. line 12 miles N. of the post
 set for the lot for the cor. to Sect 26, 27, 34 & 35.
 Lands part level, part Broken 2nd & 3rd rate
 Timber Tree, W. Oak, Poplar, Ash, Hick,
 Sugar & c. W. Spruce, Dogwood, Ash, Ironwood,
 Birch etc.

East Correction the line between Sect 26. & 35. T. N^o 10
 N. R. N^o 177.

- 17.64 To a Tree 18 in. dia. stands in the line.
- 35.29 Lot the temporary post at the aver dist on the true
 line for the cor. to $\frac{1}{4}$ sec. from which a
 Tree 15 in. dia. stands N 72 E. 14 miles dist; &
 do 18 " " " S 4 E. 22 " "
- 46.14 To a Poplar 36 in. dia. stands in the line.
- 70.58 To the post set for the cor. to Sect 25, 26, 35, & 36.

East On a true line between Sect 25, & 36. T. N^o 10. N.
 R. N^o 177.

- 19.88 To a Tree 17 in. dia. stands in the line.

T. N^o 10. N.R. N^o 17. 2nd Mer. (Ind.)

- 40.00 Set a post for the cor. to pt sec. from which a
Log woods 3 m. dia. stands S 27 E. 11 m. dia;
+ a Buck 18 n n n N 18 W 16 n n
- 55.00 To a Brook 75 m. wide; Course N. W.
- 60.10 n n 7 Buck 14 m. dia. stands on the line.
- 75.40 Enter a Pond.
- 78.74 Intersected the E. Range line 280. m. S. of the
post set for the cor. to pt ^{set apart} 25, 26, from which a
Ash 14 m. dia. bears S 29 W. 33 m. dia; + a
Water Oak 3 n n n N 85 W. 14 n n
- Sands part hard; Part broken 2nd & 3rd rate.
Timber 7 Buck, Elm, Maple, W Oak, Ash, &c.
N.Y. Spruce, Pines, Shornac. Maple &c.

- North Between Sec. 25. & 26. T. N^o 10. N.R. N^o 17.
- 18.65 To a Buck 19 m. dia. stands in the line.
- 40.00 Set a post for the cor. to pt sec. from which a
Buck 15 m. dia. bears N 19 W. 28 m. dia; + a
do 6 n n n S 81 E. 29 n n
- 58.66 To a Hick 717 m. dia. stands in the line.
- 80.00 Set a post for the cor. to sec. 23, 24, 25, 26.
from which a W. Oak 23 m. dia. bears S 51 W 8
the m. dia; + a Buck 16 n n n N 49 E 26
n n Sands broken 3rd rate; Timber W. Oak
W. Oak, Buck, Hick, &c. N.Y. Ironwoods, Log-
woods & Sassafras. &c.

West On a Random line between Sec. 23. & 26. T. N^o 10
N.R. N^o 17.

- 40.00 Set a temporary post for the cor. to pt sec. of
- 46.20 To a Brook 10 m. wide; Course S. W.
- 70.65 Intersected the N. & S. line 18 m. E. of the post.
Set for the cor. to sec. 22, 23, 24, & 27. T. N^o 10.
N.R. N^o 17. Sands broken 3rd rate; Timber
W. & W. Oak, Buck, Hick, &c. N.Y. Hick,
Oak, Sassafras, Ironwoods, Hackberry, birch.

T. N^o 10. N.W. N^o 17. 2nd Mer. (Ind.?)

- 16.43 To a Maple, 14 in. dia. Stands in the line.
 35.32 Set the timber post at the aver. dish; on the true line for the cor. to 1/4 sec. from which a
 W. Oak, 23 in. dia. bears N 68. 11 miles dish; to
 W. Oak 16 " " " S 80 E. 26 " "
 50.24 To a W. Oak 16 in. dia. Stands in the line
 70.65 To the post set for the cor. to lat. 22, 23, 26, 27.

East Between Lat. 24. & 25 T. N^o 10. N.W. N^o 17

- 20.48 To a W. Oak 22 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 18 in. dia. bears N 55 E. 13 miles dish; to
 Ho 13 " " " S 49 E. 16 " "
 58.90 To a Buck 19 in. dia. Stands in the line
 79.00 Intersected the E Range line 241 miles N of the
 post set for the cor. to lat. 24 & 25. & set a post
 for the cor. to lat 24 & 25. from which a
 Logwood 4 in. dia. bears S 31 E. 17 miles dish; to
 Buck 5 " " " N 63 W 11 " "
 Sande point level, & post broken 2nd 13th
 rate. Timber W. & B. Oak, Buck, Hickory, Ash,
 & c. & c. Ironwoods, Logwoods, Hickory, Brins
 & c. Dec. 13. 1819.

North Between Lat. 23. & 24 T. N^o 10. N.W. N^o 17.

- 19.78 To a Hickory 15 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Buck 5 in. dia. bears N 35 E. 9 miles dish; to
 Logwoods 6 " " " S 21 W. 13 " "
 61.10 To a Hickory 14 in. dia. Stands in the line.
 80.00 Set a post for the cor. to lat. 13. 14. 23. & 24. from
 which a W. Oak 22 in. dia. stands. N 76 W 16
 miles dish; to a B. Gum 23 " " " N 45 E. 17.
 " " Sande broken 3rd rate; Timber W. & B.
 Oak, Chestnut Oak, Buck Hickory & c. W. &
 Sassafras Hickory Logwoods, Ironwoods, Brins & c.

T. N. 10. N. R. N. 17. 2nd Mer. Ind. 2

West Between Sec. 14 & 23. On a random line T. N. 10. N. R. N. 17.

11.35 To a Brook 8 miles wide; Corner S. W.

40.00 Set a temporary post for the cor. to 1/4 sec.

70.70 Intersected the N. & S. line 43 miles S. of the post set for the cor. to sec. 14, 15, 22, & 23. Secs.

Broken & 3rd rate; Timber W. Oak, Hickory, B. Oak, Ash, &c. W. S. Sassafras, Dogwood, Oak, Pine &c.

East Corrected Between Sec. 14 & 23. T. N. 10. N. R. N. 17.

22.25 To a Hickory 18 in. dia. Stands in the line

35.35 Set the temporary post at the corner on the true line for the cor. to 1/4 sec. from which a

Beech 14 in. dia. bears N 36 E. 19 miles dist; &c

Do 15 " " " S 39 W. 11 " "

56.47 To a Hickory 18 in. dia. Stands in the line.

70.70 To the post set for the cor. to sec. 13, 14, 23, 24

East Between Sec. 13 & 24 T. N. 10. N. R. N. 17.

17.78 To a Hickory 23 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a

W. Oak 24 in. dia. bears N 68 W. 14 miles dist; &c

Beech 16 " " " S 63 E. 27 " "

54.85 To a Beech 24 in. dia. Stands in the line.

78.55 Intersected the E. Range line 200 miles N. of the post set for the cor. to sec. 13 & 24 & set a post for sec. 13 & 24. from which a

Beech 17 in. dia. bears S 62 W. 21 miles dist; &c

Poplar 33 " " " N 60 W. 10 " "

Secs. broken 3rd rate; Timber Beech, W. Oak, B. Oak, Hickory &c. W. S. Sassafras, Ash, Spruce, Ironwoods and briars;

North Between Sec. 13 & 14. T. N. 10. N. R. N. 17.

T. N^o 10. N.R. N^o 17. 2nd Mer. (Ind. a.)

- 18.22 To a Poplar 36 in. dia stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 6 in. dia bears N 61 E. 8 miles dist; & a
 do 18 " " " S 67 W 25 " "
 62.00 To a Tree 18 in. dia stands in the line.
 80.00 Set a post for the cor. to sec. 11, 12, 13. & 14 from
 which a Tree 18 in. dia stands N 35 W. 15 miles dist;
 and a do 4 " " " S 27 E. 23 " "
 Broken 2nd & 3rd rate lands; Timber W. Oak,
 W. Oak, Beech, Poplar, Hickory, &c. & 9 species
 and Spruce.

West On a Meridian line between sec. 11. & 14 T. N^o 10. N.
 R. N^o 17.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
 71.84 Intersection the N. & S. line 58 miles S of the post
 set for the cor. to sec. 10, 11, 14, 15.
 Lands broken 2nd & 3rd rate; Timber Sugar,
 W. Oak, Beech, Ash, Hickory, &c. & 9 species, Ash,
 Sassafras, Ironwoods, &c.

East Corridor between sec. 11. & 14 T. N^o 10. N.R. N^o 17.

- 17.62 To a Poplar 19 in. dia stands in the line
 35.42 Set the temporary post at the aver. dist; on the true
 line for the cor. to 1/4 sec. from which a
 Tree 26 in. dia stands N 51 W. 19 miles dist; & a
 do 28 " " " S 63 E. 28 " "
 57.40 To an Ash, 17 in. dia stands in the line.
 70.84 To the post set for the cor. 11, 12, 13. & 14.

East Between sec. 12 & 13. T. N^o 10. N.R. N^o 17.

- 23.70 To a Sugar 14 in. dia stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 15 in. dia bears N 15 E. 22 miles dist; & a
 do 14 " " " S 33 W. 25 " "
 57.90 To a Sugar 15 in. dia stands in the line.

T. N^o 10. N.R. N^o 1 W. 2nd Mer. Ind.

77.84 Into cut the 2nd Mer. 166 miles S. of the
 post let for the cor. to lat. 12. + 13 *T. N^o 10. N.
 R. N^o 1 W.* into set a post for cor. lat. 12 + 13.
 From which a Sugar 17 in. dia stands S 46 W. 18, like
 ditch; under a Bush 3 n n N 60 W 27 n
 n Broken 2nd rate Sands; a Bush,
 Sugar, W Oak, Hickory, Ash, &c. N. 9 Spine
 &c. Dec. 14th 1819

West Between Lat. 11. + 12 *T. N^o 10. N.R. N^o 1 W.*
 26.80 To a Bush 17 in. dia stands in the river.
 40.00 Set a post for the cor. to 1/4 sec. From which a
 Sugar 16 in. dia stands N 67 W. 31 miles ditch; to
 do 17 n n n S 60 E 16 n n
 59.64 To a Poplar 18 in. dia. stands in the river.
 67.10 n n Broken 10 miles ditch; hence N. W.
 80.00 Set a post for the cor. to lat. 1. 2. 11. 12 From which
 a Bush 18 in. dia stands S 45 W. 5 miles ditch; to
 Maple 19 n n n N 71 E. 7 n n
 Sands broken 2nd rate; Timber a Bush, Sug-
 ar. Ash, W. Oak, Poplar, &c. N. 9 Spine, Sas-
 safras. Hickory Hoag. &c.

West Between Lat. 2. + 11 On a Pandemonium *T. N^o
 10. N.R. N^o 1 W.*
 19.50 To a Bush 10 miles wide; hence N. W.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 70.62 Into cut the N. + S. line 78 miles S. of the post.
 let for the cor. to lat. 2. 3. 10. 11. Sands broken
 3rd rate; Timber a Bush, W. Oak, T. Oak, Hick-
 ory &c. N. 9 Sassafras, Oak, Hickory, Ironwood,
 a Pine &c.

East Correction Between Lat. 2 + 11. *T. N^o 10. N.R.
 N^o 1 W.*
 11.70 To a Hickory 14 in. dia stands in the river.

T. No 10 N.R. No 17. 2nd Mer. (Ind 9)

- 35.31 Set a post for the cor. to $\frac{1}{4}$ sec. at the corner
dish, on the true line from which a
W. Oak, 24 in. dia. bears N 78 E. 17 miles dish; to
B. Oak 34 in. " " S 8 W. 8 " "
- 46.16 To a B. Gum 16 in. dia. stands in the line
- 70.60 To the post set for the cor. to sec. 1, 2, 11, 12,

- East Between Sec. 1 & 12. *T. No 10. N.R. No 17.*
- 18.10 To a W. Oak 28 in. dia. stands in the line
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 3 in. dia. bears N 38 E. 15 miles dish; to
W. Oak 42 in. " " S 27 W. 9 " "
- 58.11 To a Hickory 16 in. dia. stands in the line.
- 77.96 Intersected the 2nd Mer. 143 miles N of the post
set for the cor. to sec. 1 & 12. & set a post for the
cor. to sec. 1 & 12. from which a
Buck 14 in. dia. bears N 25 E. 7 miles dish; to
Logwood 4 in. " " S 84 W. 10 " "
- Land broken 3rd rate; Timber W. Oak, B. Oak,
Buck, Hickory & c. W. Logwood & c.

- North Between Sec. 1 & 12. *T. No 10. N.R. No 17.*
- 22.45 To a Hickory 17 in. dia. stands in the line.
- 40.80 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Buck 10 in. dia. bears S 78 W. 11 miles dish; to
do 6 in. " " N 37 E. 12 in. "
- 61.56 To a W. Oak 19 in. dia. stands in the line.
- 79.34 Intersected the N. Boundary of *T. No 10. N.R. No 17.*
247 miles E of the post set for the cor. to sec. 35
& 36. *T. No 11 N.R. No 17.* and set a post for the
cor. to sec. 1 & 12. from which a
Buck 8 in. dia. bears S 50 W. 17 miles dish; to
Logwood 4 in. " " S 63 E. 20 in. "
- Land broken 3rd rate; Timber Buck, W. Oak,
B. Oak, Hickory & c. W. Castles, Logwood,

T. N. 10. N. W. N. 17. 2nd Mer. (Ind. a.)

Ironwood, Hickory, Pines, &c. Dec. 15th 1839

Surveyed by
Thomas T. Brown
L. S.

I certify that the foregoing transcript of the field notes of Township N. 10. North of Range N. 17th Mer. of the 2nd Mer. Indiana, has been compared with the Original notes in this Office, and found to be correct.

Surveyor General's Office,
Cincinnati, Dec. 16. 1839 } E. S. Cairns
Sur. Genl.